

'ACCEPTED' PRODUCTS LISTING (APL)

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u> <u>CATEGORY</u>	<u>Contact Reference</u>	<u>Product Description and</u> <u>Manufacturer Suggested Use</u>	<u>Vendor Certifies</u> <u>Compliance With:</u>	<u>Rev. Date</u>
K.2.a PCC Admixtures: Water Reducing					
97-315	Monex TR Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX (Texas) <u>Local Rep.:</u> Boral Material Technologies Inc. 303 779 8366		<i>Product is a water-reducing and retarding admixture based upon modified hydroxylated polymers. Note: use of this product requires approval by trial batch.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type D)	10/00
97-316	Monex X15 Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX (Texas) <u>Local Rep.:</u> Boral Material Technologies Inc. 303 779 8366		<i>Product is a water reducer specially formulated for use in concrete containing Monex High Performance Fly Ash.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type D)	10/00
97-318	Monex AcN Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX (Texas) <u>Local Rep.:</u> Boral Material Technologies Inc. 303 779 8366		<i>Product is a complex blend of set accelerating and strength enhancing components that does not contain calcium chloride.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type E)	10/00
97-320	Monex HC Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX (Texas) <u>Local Rep.:</u> Boral Material Technologies Inc. 303 779 8366		<i>Product is a water reducing agent specially formulated from a modified hydroxylated carboxylic acid.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u> <u>CATEGORY</u>	<u>Contact Reference</u>	<u>Product Description and</u> <u>Manufacturer Suggested Use</u>	<u>Vendor Certifies</u> <u>Compliance With:</u>	<u>Rev. Date</u>
K.2.a PCC Admixtures: Water Reducing					
97-322	Monex LR Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX (Texas) <u>Local Rep.:</u> Boral Material Technologies Inc. 303 779 8366		<i>Product is a water reducing and retarding admixture for portland cement concrete. Note: use of this product requires approval by trial batch.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A & D)	10/00
97-323	Monex NR Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX (Texas) <u>Local Rep.:</u> Boral Material Technologies Inc. 303 779 8366		<i>Product is a water reducing and retarding admixture for portland cement concrete. It is especially recommended at temperatures above 85F. Note: use of this product requires approval by trial batch</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A & D)	10/00
97-324	Monex NW Boral Material Technologies Inc. Melissa Garcia @ 210 349 4069, TX (Texas) <u>Local Rep.:</u> Boral Material Technologies Inc. 303 779 8366		<i>Product is a water reducing admixture for concrete, especially formulated for temperatures above 85F.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/01
00-020	FR-2 Concrete Admixture Fritz-Pak Corporation Gabriel M. Ojeda @ 214 221 9494, TX (Texas) <u>Local Rep.:</u> Concrete Solutions Inc. 801 266 5699		<i>Product is a water reducing admixture for concrete.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494)	10/00
00-021	Fritz-Pak FR-3 Fritz-Pak Corporation Gabriel M. Ojeda @ 214 221 9494, TX (Texas) <u>Local Rep.:</u> Concrete Solutions Inc. 801 266 5699		<i>Product is a dry powdered water reducing admixture, packaged in a ready-to-use water soluble bag.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494)	10/00

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u> <u>CATEGORY</u>	<u>Contact Reference</u>	<u>Product Description and</u> <u>Manufacturer Suggested Use</u>	<u>Vendor Certifies</u> <u>Compliance With:</u>	<u>Rev. Date</u>
K.2.a PCC Admixtures: Water Reducing					
99-141	Fritz-Pak Standard Delay Set Fritz-Pak Corporation Gabriel Ojeda @ 214 221 9494, TX (Texas) <u>Local Rep.:</u> None		<i>Product is a dry powdered mid range water reducer admixture, packaged in a ready-to-use water soluble bag. It is formulated to extend the setting time of concrete. Note: use of this product requires approval by trial batch</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type D)	10/00
99-145	Fritz-Pak FR-1 Fritz-Pak Corporation Gabriel Ojeda @ 214 221 9494, TX (Texas) <u>Local Rep.:</u> None		<i>Product is a dry powdered water reducing admixture with a set retarder, packaged in a ready-to-use water soluble bag. Note: use of this product requires approval by trial batch.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type D)	10/00
97-261	Polyheed FC100 Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH (Ohio) <u>Local Rep.:</u> Tim Bytheway 801 963 5716		<i>Product is a ready-to-use, non-chloride water reducing admixture specifically formulated to provide normal setting times with fly ash concrete mixtures.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A,C & E)	10/00
97-269	Masterpave Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH (Ohio) <u>Local Rep.:</u> Tim Bytheway 801 597 5210		<i>Product is a ready-to-use liquid water reducing admixture expressly formulated for concrete pavement.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00
97-270	Masterpave -N Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH (Ohio) <u>Local Rep.:</u> Tim Bytheway 801 597 5210		<i>Product is a ready-to-use, liquid water reducer admixture expressly designed for concrete paving.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u> <u>CATEGORY</u>	<u>Product Description and</u> <u>Manufacturer Suggested Use</u>	<u>Vendor Certifies</u> <u>Compliance With:</u>	<u>Rev. Date</u>
K.2.a PCC Admixtures: Water Reducing				
97-271	Masterpave -RI Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH (Ohio) <u>Local Rep.:</u> Tim Bytheway 801 597 5210	<i>Product is a ready-to-use, liquid admixture expressly recommended as a water reducer for concrete paving. Note: use of this product requires approval by trial batch.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type B & D)	10/00
97-272	Pozzolith 82 Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH (Ohio) <u>Local Rep.:</u> Tim Bytheway 801 597 5210	<i>Product is a ready-to-use, liquid water reducing admixture. Note: use of this product requires approval by trial batch.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A, B & D)	10/00
97-273	Pozzolith 220-N Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH (Ohio) <u>Local Rep.:</u> Tim Bytheway 801 597 5210	<i>Product is a ready-to-use, liquid water reducing admixture for concrete.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00
97-275	Pozzolith 322-N Master Builders, Inc. Tony Schlagbaum @ 800 628 9990, OH (Ohio) <u>Local Rep.:</u> Tim Bytheway 801 597 5210	<i>Product is a ready-to-use liquid water reducing admixture for concrete.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00
01-068	WRDA 27 W. R. Grace Denise Preston @ 617 498 4555, MA (Massachusetts) <u>Local Rep.:</u> Grace Sales 800 901 3083	<i>Product is a water reducing admixture for concrete in an aqueous solution of modified glucose polymer containing a catalyst which promotes more complete hydration of the portland cement.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	8/01

<u>ID # [X-File #]</u>	<u>Product Trade Name / Manufacturer</u> <u>CATEGORY</u>	<u>Contact Reference</u>	<u>Product Description and</u> <u>Manufacturer Suggested Use</u>	<u>Vendor Certifies</u> <u>Compliance With:</u>	<u>Rev. Date</u>
K.2.a PCC Admixtures: Water Reducing					
97-234	Daracem 55 W. R. Grace Craig Nelson @ 617 8876 1400, MA (Massachusetts) <u>Local Rep.:</u> W. R. Grace 303 296 9033		<i>Product is a water reducer especially formulated to produce concretes with dramatically enhanced finishing characteristics and normal setting times.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00
97-285	WRDA 64 W. R. Grace @ 617 876 1400, MA (Massachusetts) <u>Local Rep.:</u> W. R. Grace 303 296 9033		<i>Product is a polymer based aqueous solution of complex organic compounds for use as a low viscosity liquid water reducing agent.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00
97-286	WRDA 82 W. R. Grace @ 617 876 1400, MA (Massachusetts) <u>Local Rep.:</u> W. R. Grace 303 296 9033		<i>Product is an aqueous solution of modified lignosulfonates containing a catalyst which promotes more complete hydration of portland cement concrete. It does not contain calcium chloride.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type A)	10/00
97-288	Daratard HC W. R. Grace @ 617 876 1400, MA (Massachusetts) <u>Local Rep.:</u> W. R. Grace 303 296 9033		<i>Product is a water reducing admixture in a ready-to-use aqueous solution of modified salts of hydroxylated carboxylic acids. Note: use of this product requires approval by trial batch.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type B & D)	10/00
97-289	Recover W. R. Grace @ 617 876 1400, MA (Massachusetts) <u>Local Rep.:</u> W. R. Grace 303 296 9033		<i>Product is a ready-to-use aqueous solution of chemical compounds specifically designed to stabilize the hydration of portland cement concrete. Note: use of this product requires approval by trial batch.</i>	UDOT 2002 Standard Specification Section 03055 Part 2.7 (AASHTO M 194/ASTM C 494 Type D)	10/00